

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 February 2002 (07.02.2002)


PCT

(10) International Publication Number  
**WO 02/10888 A2**

- (51) International Patent Classification<sup>7</sup>: **G06F 1/00**
- (21) International Application Number: **PCT/GB01/03398**
- (22) International Filing Date: **30 July 2001 (30.07.2001)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**0018682.5** **28 July 2000 (28.07.2000)** **GB**
- (63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:  
**US** **Not furnished (CON)**  
**Filed on** **Not furnished**
- (71) Applicant (for all designated States except US): **CONTENT TECHNOLOGIES LIMITED [GB/GB]; 1310 Waterside, Arlington Business Park, Theale, Reading, Berkshire RG7 4SA (GB).**
- (72) Inventor; and  
(75) Inventor/Applicant (for US only): **BEETZ, Andrew [GB/GB]; Content Technologies Limited, 1310 Waterside, Arlington Business Park, Theale, Reading, Berkshire RG7 4SA (GB).**
- (74) Agent: **O'CONNELL, David, Christopher; Haseltine Lake & Co., Imperial House, 15-19 Kingsway, London WC2B 6UD (GB).**
- (81) Designated States (national): **AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EC, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (regional): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian**

[Continued on next page]

(54) Title: **FILE ANALYSIS**



(57) Abstract: A method of analysing the properties of an electronic file, especially to detect a packed executable file. A neural network is used to determine if a given file is a packed executable from analysis of byte distributions within the file without unpacking the file from its compressed form.



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**Published:**

— *without international search report and to be republished upon receipt of that report*

-1-

File analysisTechnical Field of the Invention

5           This invention relates to networked and stand-alone computer systems in general and security protection against virus attacks in particular. More specifically, this invention concerns a method for detecting packed executable electronic files.

10

Description of Related Art

Recent years have witnessed a proliferation in the use of the Internet. Many stand-alone computers and local  
15       area networks connect to the Internet for exchanging various items of information and/or communicating with other networks.

Such systems are advantageous in that they can  
20       exchange a wide variety of different items of information at a low cost with servers and networks on the Internet.

However, the inherent accessibility of the Internet increases the vulnerability of a system to threats such  
25       as viruses and cracker attacks. Around 5-10 new viruses are discovered each day on the popular Windows-based operating systems. Although most spread through the Internet, for example through file attachments or email worms, stand-alone machines may also be infected by a  
30       floppy disc or other removable media. The concern for advanced security solutions for both stand-alone and networked computers is therefore substantial.

The principle of operation of conventional antiviral  
35       software is commonly based on a combination of checks of

-2-

files, sectors and system memory. Particularly popular are anti-virus scanners, which search such objects in conjunction with a database of known "virus signatures", or code sequences characteristic of a given virus.

5

Whilst effective at detecting known viruses, such scanning methods are of limited use in recognizing viruses not listed in the database. For this reason, the database needs to be updated regularly as new viruses are discovered frequently.

10

Cyclic redundancy check (CRC) scanners adopt an alternative approach by calculating checksums for actual disk files or system sectors. These checksums are then saved to the anti-virus program's database with other data such as file size, date of last modification, and other characteristics. On subsequent runs, the CRC scanner monitors currently calculated checksum values against the database information. If the database entry for a file differs from the file's current characteristics, the CRC scanner will report file modification or possible virus infection.

15

20

Such a generic tool is successful at detecting virus activity without the need to be updated in order to recognize new viruses. An integral drawback, however, is that a CRC scan cannot catch a virus immediately after its infiltration but only after some time, when the virus has already spread over the computer system or network. Furthermore, CRC scanners cannot detect viruses in newly arrived files such as email attachments or restored backup files as the CRC database would not have existing entries for such files. In addition, viruses are known which purposely infect only newly created files, in order to appear invisible to CRC scanners.

25

30

35

-3-

Recently, a new content threat has been developed, known as the "packed" virus. Packing involves compressing an executable file but leaving it in an executable state. An infected executable can thereby be changed by the packing process such that its signature becomes completely different whilst remaining executable. Such compressed executables may be created by compression utilities, typically ZIP2EXE, familiar to those skilled in the art, or through use of any available compressor algorithm.

Conventional antiviral scanners generally fail to recognize such packed variants of viruses. Compressed archives, on the one hand, can easily be recognised as such by their filetype, as customarily indicated in the file suffix (.ZIP, .ARJ, .CAB and .LZ being common examples). Furthermore, although file suffixes are not mandatory, it is customary within the art to reserve a series of bytes, known as the "header", at the beginning of an electronic file for designating the proprietary format of the file. This allows other software programs and the operating system to recognise files as being for use with a particular program and comprises a useful means for determining filetypes.

Packed files, on the other hand, retain executable characteristics and, although the header may contain section names generated by specific packers, cannot easily be recognised as containing compressed data.

It follows that anti-virus scanners will thus fail to detect packed executables until the software vendors release an updated pattern file aware of such viruses. However, in order to remain comprehensive, the corresponding database libraries have to increase rapidly

-4-

in size in view of all the popular compression algorithms available. As a result, this approach is contrary to the general desire for resident virus scanners to be relatively compact, fast in execution, and economical on system resources. Furthermore, such an approach remains incapable of detecting an executable that has been packed using a custom compression algorithm written by the virus author and containing corresponding decompression code.

Performing CRC checksums is a more generic detection method and therefore may be applied. Although capable of detecting an attack by a packed virus, this technique cannot catch a virus immediately after its infiltration but only after some time, when the virus has already spread over the computer system or network, as explained above.

A known approach involves temporarily opening and unpacking the .EXE file to gain contents to the files inside and examining the file contents uncompressed. However, opening and unpacking the file may expose the computer system to viral infection. Furthermore, this approach cannot be used for encrypted packed files which can only be accessed using a password. Such files are commonly placed in a "quarantine zone" for review by a system administrator, placing a demand on resources.

There is therefore a need for a computer-implemented method of analysing electronic files to detect packed executables.

#### Summary of the Invention

In accordance with one aspect of the present invention, there is provided a method for determining the properties of an electronic file, said method comprising:

-5-

analysing byte distributions of the file contents;  
determining properties of the electronic file with  
respect to the analysis.

5           This has the advantage that it allows the possibility  
of recognising file properties of both known and unknown  
files of similar characteristics, because similar file  
formats possess similar byte distributions.

10           Preferably, the analysing of byte distributions  
comprises a determining step in which the frequency of  
occurrence of the byte distributions of the file contents  
is determined. Such a frequency analysis is advantageous  
15           in detecting compressed data as effective compression  
techniques tend to increase the entropy of byte  
distributions in the file.

            Preferably, the step of determining properties of the  
electronic file includes use of a neural network, and  
20           means may be included for training the neural network on  
sample packed files. This has the advantage of being  
capable of ascertaining distinctive characteristics in the  
byte distributions which are common to packed files  
compressed using both known packer algorithms and unknown  
25           packer algorithms.

            Preferably, the method of determining properties of  
the electronic file is able to recognize compressed files.  
Preferably, said method is performable without unpacking  
30           data in the file from its compressed form. The inventive  
method is therefore advantageous as compressed files may  
be examined without need for decompression of the contents  
which may subject the system to potential viral infection.  
Furthermore, some compressed files, such as ZIP files, may  
35           use a form of encryption to lock the file against

-6-

unauthorised access and so cannot be decompressed without use of a password. Therefore, information on the file contents cannot be gained by conventional methods. The inventive method allows the locked compressed files to be examined without need for decompressing the contents and so may be performed without use of a password.

In accordance with a second aspect of the present invention, there is provided a software product which contains code for implementing the method of the first aspect.

In accordance with a third aspect of the present invention, there is provided a computer system enabled to implement the method of the first aspect.

Thus, the system provides the user with an additional layer of security against threats from packed viruses.

#### Brief Description of the Drawings

Figure 1 is a block diagram of part of a computer network operating in accordance with the invention.

Figure 2 illustrates operation of a software product in accordance with the invention.

#### Detailed Description of the Preferred Embodiments of the Invention

Figure 1 of the accompanying drawings illustrates functional blocks of a computer system 100 operable in accordance with the present invention. Computer system 100 may comprise a stand alone or networked desktop, portable or handheld computer, networked terminal connected to a server, or other electronic device with suitable communications means. Computer system 100



-7-

comprises a central processing unit (CPU) 102 in communication with a memory 104. The CPU 102 can store and retrieve data to and from a storage means 106, and can retrieve and optionally store data from and to a removable storage means 108 (such as a CD-ROM drive, ZIP drive or floppy disc drive). CPU 102 outputs display information to a video display 110.

Computer system 100 may be connected to and communicate with a network 112 such as the Internet, via a serial, USB (universal serial bus), Ethernet or other connection.

Alternatively, network 112 may comprise a local area network (LAN), which may then itself be connected through a server to another network (not shown) such as the Internet.

Computer system 100 may further comprise input means such as a mouse and/or keyboard (not shown) and output peripherals such as a printer or sound generation hardware, as customary in the art. Computer system 100 runs operating system software which may be stored on disc or provided in read-only memory (ROM). Data files such as documents or software programs may be transferred to computer system 100 via removable storage means 108 or through network 112.

Reference will now be made to Figure 2, which describes the operation of an embodiment of the software in accordance with the invention. The software may be loaded when required, or preferably is loaded permanently and remains quiescent until a file check is initiated, either automatically or by action of a user. In step 200, the software intercepts an attempt either to load an

-8-

unknown file to the system memory or to copy said file into a different part of the network. The attempt to load the file may be actioned by a user, or invoked through software running on computer system 100. The file may  
5 comprise an email attachment, for example, or an image or document, or one of a number of different filetypes as known in the art. In step 202, the file is opened as a binary data stream by the software, and the header information read to ascertain whether the file is an  
10 executable. It is common practice amongst virus authors to intentionally mislabel file suffixes of executable files, to mislead users into believing that the files are harmless.

15 If the header information pertains to a known filetype other than an executable file, the process is terminated, allowing loading to proceed. However, if the header information pertains to an executable file or is ambiguous, the process continues with the steps below:

20 Each byte is read from the file either sequentially or as a block in step 204 and stored in memory. For conventional 8-bit data, each byte has a value in the range 0-255. In step 206, the cumulative frequency of  
25 occurrence of this value in the file is stored.

The steps 204, 206 of reading each successive byte from the binary data stream and updating the numbers of occurrences of byte values are repeated until the end of  
30 the file (EOF) marker is reached. The frequency distribution is then normalised by the file size in step 208 to give the proportion of each byte in the file.

35 It will be understood that this aspect of the process is subject to variations as customary in the art. For

-9-

example, the data may be read from the file as a contiguous block, divided by the file length and then the corresponding normalised frequency distribution of byte values generated to reduce computation time.

5

Finally, the file is disconnected from the specific stream by using a close operation 210.

10 Having received this information, the software takes this normalised frequency distribution of the proportion of each byte in the file and, in step 212, applies it to a neural network, which generates a percentage confidence indication as to whether the file is a compressed executable file on the basis of its training session, as  
15 described later. On the basis of the percentage confidence, the network decides whether or not to treat the file as a compressed executable file.

If the pattern is not sufficiently closely matched  
20 (step 214), the file is not treated as a packed executable. The software may then return to its quiescent state and allow loading to proceed (it may happen that other software may now subsequently be invoked, e.g. a conventional virus pattern scanner)

25

Alternatively, if the software has detected that file is, or may be, a compressed executable (step 216), the software may alert the user that this is the case, for example by displaying a message on the video display 110.  
30 Further, the software may change the file attributes so that the file may not be loaded other than by a system administrator, and/or may place the file in a "quarantine zone": an area of filespace with restricted access for review by a system administrator. Such quarantine zones  
35 are customary in the art, e.g. used by junk and spam mail

-10-

filtering programs to filter mail which is thought to be unsolicited.

5       The training of a neural network in accordance with  
the software of the invention is largely conventional  
apart from the data that is applied. The neural network  
is a simple three layer feed forward associative net (that  
is, with one layer of hidden nodes) comprising 256 input  
layer nodes in a 256 x 1 array corresponding to the 256  
10       possible byte values.

      The training of the neural network involves  
collecting a large number of files with known attributes  
i.e. packed or unpacked, and passing the relevant  
15       information into the network. The information passed to  
the neural network comprises the proportion of each byte  
value (in the range 0-255) in the target file (calculated  
by taking the frequency of occurrence of each byte value  
in the file and normalising by the file size) and a value  
20       (0 or 1) to specify whether the file is compressed or  
uncompressed. The most common method is to set the input  
of the network to one of the desired patterns and evaluate  
the output state. The network can then be trained by  
adjusting the thresholds and weightings of the links,  
25       represented by variables, to produce the desired output.  
Once the network has finished training and it is 100%  
accurate with the training data, a testing session will  
follow on the resulting network pattern. The results from  
the testing session will inform whether the network needs  
30       to be retrained.

      The neural network will therefore examine all tested  
files for patterns which it can recognise. For example,  
when testing for compressed executable files, one pattern  
35       which may emerge is that all compressed files have a

-11-

relatively flat byte distribution. That is, the most commonly occurring byte occurs more often than the least commonly occurring byte, by a relatively low factor. This is because such a distribution indicates a relatively efficient packing algorithm. However, the user of the system does not need to know what patterns are examined by the neural network.

Such a network has been found to have a higher percentage success rate than conventional methods even when tested on executables packed using algorithms on which the network has not been trained, because all successful packing algorithms tend to produce similar byte distributions.

Extra layers may be added to improve the performance of the neural network — the more nodes the network contains, the better the ability of the network to recognise packed files accurately, and the more patterns it can recognize.

A software product which implements the method described above is preferably supplied with the neural network having been trained on packed files. The software product may advantageously allow the neural network to be trained further. For example, the user may have the facility to train the network on actually received packed files. Alternatively, the user may be able to download additional training data, provided by the product supplier, in the form of other packed files. As a further alternative, the user may be able to train the neural network on a filetype which differs from that on which the network was originally trained.

The generic method may be applied with suitable

-12-

modifications to data formats other than executables such as documents, images, audio formats and moving video content.

5           There is thus described a method, software product and a computer system which provide for detecting packed executable files.

10           It is noted that the various options described above may be programmed or configured by a user and that the above detailed description of preferred embodiments of the invention is provided by way of example only. Other modifications which are obvious to a person skilled in the art may be made without departing from the true scope of  
15           the invention, as defined in the appended claims.

Claims

1. A method for determining the properties of an electronic file, said method comprising:
- 5                   analysing byte distributions of the file contents; and
- determining properties of the electronic file with respect to the analysis.
- 10
2. A method as claimed in claim 1, in which the analysing of byte distributions comprises a determining step in which the frequency of occurrence of the byte distributions of the file
- 15                   contents is determined.
3. A method as claimed in claims 1 or 2, in which the step of determining properties of the electronic file includes use of a neural network.
- 20
4. A method as claimed in claim 3, in which the neural network has been trained on sample packed executable files.
- 25
5. A method as claimed in claims 1-4, in which the step of determining is able to recognize compressed files.
- 30
6. A method as claimed in any preceding claim, in which, if the file is determined to be compressed, it is not unpacked from its compressed form.
- 35
7. A software product for determining the properties of an electronic file, said software containing code for:

-14-

analysing byte distributions of the file contents; and

determining properties of the electronic file with respect to the analysis.

5

8. A software product as claimed in claim 7, in which the analysing of byte distributions comprises a determining step in which the frequency of occurrence of the byte distributions of the file contents is determined.

10

9. A software product as claimed in claims 7 or 8, in which the step of determining properties of the electronic file includes use of a neural network.

15

10. A software product as claimed in claim 9, in which the neural network has been trained on sample packed executable files.

20

11. A software product as claimed in any of claims 7-10, in which the step of determining is able to recognize compressed files.

25

12. A software product as claimed in any of claims 7-11, in which the file if containing compressed data is not unpacked from its compressed form.

30

13. A software product as claimed in claim 9, wherein the neural network can be further trained on additional sample files.

35

14. A computer system capable of determining the properties of an electronic file, the computer system being enabled to:

analyse byte distributions of the file contents.



-15-

determine the file properties from the analysis.

- 5           15. A computer system as claimed in claim 14, in which the analysing of byte distributions comprises a determining step in which the frequency of occurrence of the byte distributions of the file contents is determined.
- 10           16. A computer system as claimed in claims 14 or 15, in which the step of determining properties of the electronic file includes use of a neural network.
- 15           17. A computer system as claimed in claim 16, in which neural network has been trained on sample packed executable files.
- 20           18. A computer system as claimed in claims 14-17, in which the step of determining is able to recognize compressed files.
19. A computer system as claimed in any of claims 14-18, in which the file if containing compressed data is not unpacked from its compressed form.
- 25           20. A computer system as claimed in claim 16, wherein the neural network can be further trained on additional sample files.

1/2




Figure 1

2/2




Figure 2

**This Page Blank (uspto)**

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 February 2002 (07.02.2002)


PCT

(10) International Publication Number  
**WO 02/010888 A3**

- (51) International Patent Classification<sup>7</sup>: **G06F 1/00**
- (21) International Application Number: **PCT/GB01/03398**
- (22) International Filing Date: **30 July 2001 (30.07.2001)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
**0018682.5** **28 July 2000 (28.07.2000)** **GB**
- (63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:  
**US** **Not furnished (CON)**  
**Filed on** **Not furnished**
- (71) Applicant (for all designated States except US): **CONTENT TECHNOLOGIES LIMITED [GB/GB]; 1310 Waterside, Arlington Business Park, Theale, Reading, Berkshire RG7 4SA (GB).**
- (72) Inventor; and  
(75) Inventor/Applicant (for US only): **BEETZ, Andrew [GB/GB]; Content Technologies Limited, 1310 Waterside, Arlington Business Park, Theale, Reading, Berkshire RG7 4SA (GB).**
- (74) Agent: **O'CONNELL, David, Christopher; Haseltine Lake & Co., Imperial House, 15-19 Kingsway, London WC2B 6UD (GB).**
- (81) Designated States (national): **AE, AG, AL, AM, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), DE (utility model), DK (utility model), DM, DZ, EC, EE (utility model), ES, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (regional): **ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European**

[Continued on next page]

(54) Title: **FILE ANALYSIS**



(57) Abstract: A method of analysing the properties of an electronic file, especially to detect a packed executable file. A neural network is used to determine if a given file is a packed executable from analysis of byte distributions within the file without unpacking the file from its compressed form.

WO 02/010888 A3



patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(88) Date of publication of the international search report:  
1 August 2002

**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 01/03398

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 G06F1/00

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 907 834 A (SORKIN GREGORY BRET ET AL) 25 May 1999 (1999-05-25)	1,3,5,7, 9,11,14, 16,18
A	column 2, line 45 -column 3, line 18 column 4, line 59 -column 5, line 49  column 7, line 21 - line 44 ---	4,10,13, 17,20
X	US 5 991 714 A (SHANER RICHARD ALLEN) 23 November 1999 (1999-11-23)  column 5, line 52 -column 7, line 33 column 8, line 6 - line 67 -----	1,2,5,7, 8,11,14, 15,18

☐ Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

## \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*&\* document member of the same patent family

Date of the actual completion of the international search

31 May 2002

Date of mailing of the international search report

06/06/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel: (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Arbutina, L

# INTERNATIONAL SEARCH REPORT

Inter <sup>national</sup> Application No  
PCT/GB 01/03398

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5907834	A	25-05-1999	US 5675711 A	07-10-1997
US 5991714	A	23-11-1999	NONE	

Form PCT/ISA/210 (patent family annex) (July 1992)



CORRECTED VERSION

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
7 February 2002 (07.02.2002)


PCT

(10) International Publication Number  
**WO 2002/010888 A3**

- (51) International Patent Classification<sup>7</sup>: **G06F 1/00** Waterside, Arlington Business Park, Theale, Reading, Berkshire RG7 4SA (GB).
- (21) International Application Number: PCT/GB2001/003398 (72) Inventor; and (75) Inventor/Applicant (for US only): **BEETZ, Andrew** [GB/GB]; Content Technologies Limited, 1310 Waterside, Arlington Business Park, Theale, Reading, Berkshire RG7 4SA (GB).
- (22) International Filing Date: 30 July 2001 (30.07.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 0018682.5 28 July 2000 (28.07.2000) GB (74) Agent: **O'CONNELL, David, Christopher**; Haseltine Lake & Co., Imperial House, 15-19 Kingsway, London WC2B 6UD (GB).
- (63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application: US Filed on Not furnished (CON) Not furnished (81) Designated States (national): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
- (71) Applicant (for all designated States except US): **CONTENT TECHNOLOGIES LIMITED** [GB/GB]; 1310

[Continued on next page]

(54) Title: FILE ANALYSIS



(57) Abstract: A method of analysing the properties of an electronic file, especially to detect a packed executable file. A neural network is used to determine if a given file is a packed executable from analysis of byte distributions within the file without unpacking the file from its compressed form.

WO 2002/010888 A3



SK (utility model), SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(88) Date of publication of the international search report:  
1 August 2002

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(48) Date of publication of this corrected version:  
22 April 2004

(15) Information about Correction:  
see PCT Gazette No. 17/2004 of 22 April 2004, Section II

**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*